

Index

- Abdominal muscles, development of, 51
- Acid/alkaline balance, of diets, 419, 421
- Activity. *See* Physical activity; Physical Activity Level
- Adaptations, metabolic. *See* Metabolic Adaptations
- Adipose tissue. *See* Fat Mass
- Advertising, of diet programs, 498
- Aerobic capacity, definition of, 320
- Aerobic exercise
- advantages of, 340
 - in Bailey program, 450–452
 - calorie burning in, vs. resistance training, 359
 - cardiovascular benefits of, 346–347
 - characteristics of, 319
 - effects of, 318
- Age
- metabolic changes with, 329
 - in Resting Metabolic Rate calculation, 59–60
- Air Force diet, calorie counting in, 271
- Alcohol, in thermogenesis
- stimulation, 541
- Alkaline/acid balance, of diets, 419, 421
- “All Gain, No Pain” slogan, 365
- Alternative medicine, 138–139
- American College of Sports Medicine
- roundtable on physical activity and obesity, 311–313
- American Dietetic Association, on low-carbohydrate diets, 285
- American Heart Association, on disease-diet relationship, 105, 119–121
- Anaerobic exercise, 318
- Anorexia nervosa, Metabolic Adaptations in, 184
- Anti-Diet Diet, for weight loss, 370–371
- Appetite and hunger
- control of, 76
 - vs. calories burned, 261–262
 - after diet completion, 499
 - dietary, 258, 500–501
 - difficulty with, 210
 - drugs for, 542–543
 - in low-carbohydrate diets, 273–275, 475–476
 - insulin effects on, 248
 - physical activity effects on, 319, 321–325, 494–495
 - satisfaction of, 233–234
- Asian diet, heart disease and, 113–116
- Athletes. *See also* Bodybuilding
- body build for, 39
 - body composition of, 326, 337–338
 - Body Mass Index of, 73, 203–204
 - caloric intake of, 329
 - carbohydrate requirements of, 410, 442–444
 - dietary fine-tuning in, 251
 - Fat Mass of, 195
 - glycogen loading in, 131
 - Lean Body Mass of, 350
 - metabolic rate of, 23
 - P-ratio in, 166
 - protein requirements of, 99
 - set-point of, 194
 - Total Daily Energy Expenditure in, 68
 - weight training regime for, 84
- Atkins diet, 144–145, 383–404, 461
- attacks on, 271
 - based on Kekwick and Pawan research, 387–394

- Atkins diet (*Continued*)
 calorie counting not required in, 271–272, 383, 393–394, 465–466
 carbohydrate content of, 459, 460, 474, 475
 disadvantages of, 476–478
 energy wasting theory in, 537–538
 failure of, 213, 466–467
 after first-time success, 476
 reasons for, 295–297
 summary of, 402–404
 false concepts in, 491, 494
 vs. fasting, 385–386
 fat mobilizing hormone and, 391–392
 insulin release and, 385
 ketosis in, 392–393, 464–465, 471, 477
 mathematical manipulations for, 397–401
 metabolic advantage principle of, 383, 386–387
 metabolic differences claim of, 383–385
 Pennington theory and, 388–389
 phases of, 474
 Pilkingtonian view and, 389–391
 problems with, 463–464, 467–469
 research misinterpretations and, 394–397
 theory of, 473–474
 water loss in, 395–396, 401–402, 469
 Yudkin research and, 401
- Bailey program, 450–452
- Balance, energy. *See* Energy Balance Equation
- Behavior modification, 199, 372–374, 376
- Benoit research, Atkins diet support from, 394–397
- Beverages, in Ellis diet, 483
- Beverly Hills diet, 419–420
- Bioelectrical impedance, for body composition determination, 135
- Blood cholesterol levels. *See* Cholesterol levels
- Blood types, diet programs based on, 452–453
- BMI. *See* Body Mass Index
- Body composition. *See also* Fat Mass; Lean Body Mass
 animal studies of, 127
 of athletes, 326
 Bailey program and, 450–452
 calculation of, 73–74
 vs. carbohydrate dietary content, 247
 components of, 128, 150
 determination of, 135–136
 bioelectrical impedance in, 135
 ultrasound device for, 135
 underwater weighing for, 94, 136–137
 after diet, 500–501
 gender differences in, 342–343
 goals for, 325–326
 in high-fat/low-carbohydrate diet, 215–216
 in low-carbohydrate diet, 242–245
 in low-fat diet, 242–245
 metabolic defects and, 150–151
 vs. metabolic efficiency, 190–191, 193
 in obesity, 154–156
 optimization of, 250
 in overfeeding, 198
 physical activity effects on, 337–339
 preferences for, 325–326
 regulation of, 150
 resistance training effects on, 341–346
 variability of, 150
 weight change effects on, 146–148, 151–162, 164–167
 in fasting, 162–164

- Body Composition
 weight change effects on
(Continued)
 gain, 154–155
 Lean Body Mass, 157–160
 loss, 153–154, 156–162, 495–497
 water, 160–162, 496
- Body Mass Index
 of athletes, 203–204
 average, 203
 calculation of, 10–11, 73–74
 ideal, 160
 vs. Metabolic Adaptations, 203–204
 in obesity, 204
 vs. Physical Activity Level, 331
- Bodybuilding
 diets for
 micromanagement of, 61–62
 pre-contest, 194
 research on, 99
 female, Lean Body Mass in, 342
 Lean Body Mass in, 342–343
 marketing of, 498
 measurements in, 88
 Metabolic Adaptations in, 201
 of Mr. America winner, in
 Nautilus marketing
 program, 86–88
 at Muscle Beach, 44–47
 negative training in, 88–89
 Reeves training method for, 521–524
 Resting Metabolic Rate prediction
 in, 349–353
 stars of, 45
 steroid use in, 39–41, 46–47
 Weider empire for, 44–45
- Bodyweight. *See* Weight
- Bone metabolism, in low-carbohydrate diets, 289–290
- Bread, elimination from diet, 458
- Butter, in Ellis diet, 483
- Cafeteria diet. *See* Mixed (supermarket) diet
- Caffeine, in thermogenesis stimulation, 541–543
- Calcium
 metabolism of, in low-carbohydrate diets, 289–290
 supplementation with, in weight control, 543
- Calorie(s)
 balance of. *See* Energy Balance Equation
 “body” vs. calorimeter, 190, 202–203
 burning of
 vs. calorie intake, 322–325
 Caltrac measurement of, 304–308, 364–366, 377–378
 daily, 327, 329, 366
 fat vs. muscle, 354–358
 maximum rate of, 353
 measurement of, 304–308
 Metabolic Adaptations effects on. *See* Metabolic Adaptations
 myths about, 348–354
 in obese vs. lean persons of same weight, 353
 by organs, 350, 354–357
 requirements for, 326–331
 in resting muscle, 349–350, 352
 above RMR. *See* Physical Activity Level
 Sheats view of, 430
 stimulation of, 541–544
 threshold of, 330, 330
 for weight loss, 334
 for weight maintenance, 334
 in carbohydrates, 280
 compensation for, in fat-carbohydrate balance, 235
 counting or ignoring of, 271–272
 in Atkins diet, 271–272, 383, 393–394, 465–466

- Calorie(s)
 counting or ignoring of
(Continued)
 in Eades diet, 408
 importance of, 54–55, 72, 175,
 192, 250, 272–273, 472
 majority and minority opinions
 of, 437–440
 in Rolls diet, 434–437
 in Somers diet, 418–422
 in *Sugar Busters!* diet, 416–417
 definition of, 55
 empty, 505–507
 expenditure of, after calorie
 restriction, 194–195
 in fat, 280
 fate of, 209
 information sources for, 71
 listing of, in tritrimetry, 69–72,
 192
 maintenance, 155–156
 measurement of, 55–57. *See also*
 Calorimetry
 partitioning of. *See* Energy,
 partitioning of
 requirements for
 calculation of, 69–72
 with decreasing weight, 539
 Lean Body Mass, 183–184
 Metabolic Adaptations and,
 190, 535–538
 in obesity, 155–156
 vs. weight, 160
 restriction of
 body response to, 497–499
 compensation for, 436–437
 substitution table for, 367
 sparing of, in underfeeding, 182–
 187
 under-reporting of, 23–24, 56–57,
 72, 369, 384–386
 wasted, in obesity, 193
 “wasting” of, in low-carbohydrate
 diet, 391
 Calories Do Count Principle, 18–19,
 29
- Calorimetry, 22–23, 384
 Calorimetry *(Continued)*
 calorie measurement by, vs.
 “body calorie,” 190, 202–
 203
 for food energy content, 55
 Caltrac, for calorie burn
 measurement, 304–308, 364–
 366, 377–378
- Cancer
 meat diet and, 292
 nutritional causes of, 505
- Capsaicin, in thermogenesis
 stimulation, 543
- Carbohydrate(s)
 for athletes, 410, 442–444
 calories per gram, 234–235, 280
 complex
 in diet program, 130–132, 231–
 232
 in glycemic index-based diets,
 411–415
 in *Sugar Busters!* diet, 415–418
 conversion of, to fat, 26–27, 214–
 217
 control of, 254–257
 discovery of, 438
 energy partitioning and, 209
 Flatt theory of, 225
 stimulation of, 263–266
 studies confirming, 438–439
 in diet composition, 210–211. *See*
also High-carbohydrate
 diets; Low-carbohydrate
 diets
 in foods, 464, 481–486
 in hunger satisfaction, 233–234
 insulin release by, 253
 metabolism of, 240–241, 262
 in Ornish program, 447
 promotion of, 441–444
 refined, 503–508
 weight gain related to, 533–535
Carbohydrate Addict’s Diet (Heller),
 410–411, 461, 463

- Carbohydrate syndrome, 443–444
- Carbohydrate trap, 444
- Cardiovascular disease-diet relationship. *See* Heart disease-diet relationship
- Cereals, carbohydrate content of, 483–484
- Cheating, relapse related to, 376
- Cheese, in Ellis diet, 481–482
- Cholesterol levels
 dietary effects on, 276, 282, 424–425
 affecting, 100–101
 human studies on, 105–107
 hysteria over, 119–120
 not affecting, 102–108
 statistical manipulation of, 111–112
 guidelines on, 120–122
- Complex carbohydrates. *See* Carbohydrate(s), complex
- Coronary artery disease. *See* Heart disease-diet relationship
- Council of Foods and Nutrition, on low-carbohydrate diets, 271, 274–277, 279–284
- D'Adamo theory, of body types, 452–453
- Dairy products
 carbohydrate content of, 485–486
 micronutrient removal from, 506
- Davis, Adele, nutritional program of, 80–82
- Death rates
 vs. diet type, 518–519
 vs. risks, from heart disease, 109–119
- Department of Health, Total Daily Energy Expenditure requirements of, 67
- Depression era diet, 419
- DHEA (dehydroepiandrosterone), in thermogenesis stimulation, 543
- Diabetes, diet in, glycemic index for, 411–415
- Diet(s). *See also specific diets*
 acid/alkaline balance of, 419, 421
 advertising programs for, 498
 balanced, 433–434
 for bodybuilding, 61–62, 99, 194
 complex carbohydrates in, 130–132, 231–232, 411–418
 composition of. *See* Diet composition
 discontinuation of, post-diet obesity after, 156
 Eskimo, 288, 289, 298–299
 failure of, 146–148, 204–205, 405–406
 formulas for, 80–82
 goals of, 206
 health effects of, 514
 heart disease and. *See* Heart disease-diet relationship
 high-carbohydrate. *See* High-carbohydrate diets
 for horse performance improvement, 133–134
 ketogenic. *See* Low-carbohydrate diets
 low-carbohydrate. *See* Low-carbohydrate diets
 low-fat. *See* Low-fat diets
 Mediterranean, 113–116
 mixed (supermarket). *See* Mixed (supermarket) diet
 with physical activity, weight loss with, 316–317, 493–495
 resistance training combined with, 345
 success of, 148–149
 myths about, 21–27
 thermogenesis induced by, theory of, 178–179
 typing, 452–453
 Very Low Calorie, 126–127, 157–158, 316, 371–372

- Western, heart disease and, 113–116
- Diet composition, 210–211. *See also specific diets*
- appetite control and, 495
 - current recommendations for, 222
 - debate over, 222–224
 - energy-partitioning and, 259–260
 - food intake control and, 500–501
 - obesity and, 279–280, 495
 - vs. Resting Metabolic Rate, 390
 - standards for, 218–220
- Digestion
- aids to, 419
 - calorie consumption in, 61–62
 - of meat, 520
- DIM (diindolylmethane), in
- thermogenesis stimulation, 543–544
- Dizziness, in low-carbohydrate diets, 279
- Eades protein diet, 406–409, 461, 470
- Eat, Cheat, and Melt the Fat Away* (Somers), 272, 418–422, 461
- Eat Right 4 Your Type* 452–453
- Eating Well for Optimum Health* (Weil), 422–426
- Eggs
- cholesterol and, 281
 - in Ellis diet, 481–482
- Ehret, Arnold, Mucousless Diet Healing System, 93
- Ellis 100/100 plan, 361–380
- behavior modification methods and, 372–374, 376
 - description of, 363–365
 - efficacy of, 365
 - 500/500 variation of, 368
 - Metabolic Adaptations in, 369, 370
 - vs. non-dieting programs, 370–371
 - portion control in, 378–379
- Ellis 100/100 plan (*Continued*)
- science underlying, 490–502
 - body composition changes, 495–497
 - calorie restriction response, 497–499
 - Energy Balance Equation. *See* Energy Balance Equation
 - food intake control, 500–501
 - Metabolic Adaptations. *See* Metabolic Adaptations
 - weight change prediction, 493–495
 - spontaneous physical activity in, 379–380
 - step by step approach to using, 365–370
 - 300/300 variation of, 368–369
 - variations on, 368–369
 - vs. very low calorie diet, 371–372
 - for weight loss maintenance, 374–378
- Ellis low-carbohydrate diet, 457–489. *See also* Ellis 100/100 plan
- advantages of, 457–458, 472–478
 - appetite control in, 475
 - basics of, 14
 - carbohydrate content of, 458–460
 - carbohydrate-free foods in, 481–483
 - eating plan for, 478–481
 - flexibility of, 473
 - vs. other low-carbohydrate diets, 461–464
 - physical activity with, 472
 - table of food carbohydrate content for, 483–486
 - variation in, 473
 - week's sample menu for, 486–488
 - weight loss goal of, diet after, 460
 - weight loss plateau in, 464–467
- Endurance training, for horses, 133–134

- Energy. *See also* Calorie(s)
 density of, in food, 232–233, 260
 partitioning of, 165–167, 193
 carbohydrates and, 209
 food intake and, 259–260
 use of, at cellular level, 213–214
- Energy Balance Equation, 472–473
 application of, 148–149
 calorie burn measurement for, 307–309
 components of, 208
 description of, 28–29
 diagram of, 31, 492
 disregard of, in some low-carbohydrate diets, 471
 efficacy of, 148–149
 in Ellis 100/100 plan, 364
 Energy-In side of, 30–31, 55, 75–77, 492
 restriction of, 493–495
 rules concerning, 310
 Energy-Out side of, 30–31, 55, 75–77, 492
 emphasis of, 494–495
 importance of, 405
 rules concerning, 310–311
 energy-partitioning effects on, 216
 factors affecting, 30–31
 high-fat/low-carbohydrate diet and, 216
 imbalance of
 in modern world, 328
 obesity in, 335–336
 importance of, 149, 250–251, 361–363, 491–493, 501
 Grande research on, 396–397
 Metabolic Adaptations
 relationship with, 170, 175, 177, 216, 535
 optimizing of, 148–149, 208–210
 refinements to, 166–167
 unbalancing of, 29
 validity of, 358–359
- Energy expenditure, total daily. *See* Total Daily Energy Expenditure
- Enzymes
 in carbohydrate-to-fat conversion, 255–257
 in energy partitioning, 165–167, 259–260
 fat-making, overshoot of, 411
 in fat metabolism, 278–279, 288
 in metabolism regulation, 129, 198–199, 241–242
- Ephedrine, in thermogenesis stimulation, 541–543
- Eskimo Diet, 288, 289, 298–299
- Estrogens
 for glycogen storage, 140–141
 in soy products, 519
- Exercise prescription, 318–321
- Exertion, perceived, 532–533
- Fasting, 92–94, 162–164
 eating after, body composition changes in, 155–156
 vs. low-carbohydrate diets, 397
 Metabolic Adaptations to, 175
- Fat. *See also* Triglycerides
 dietary. *See also* High-fat diets; Low-fat diets
 calories per gram, 234–235, 280
 cholesterol levels and, 100–101
 in diet composition, 210–211
 in Ellis diet, 483
 as fuel, 142–143, 239–240, 512
 in hunger satisfaction, 233–234
 in low-carbohydrate diet, 270–271
 phobias concerning, 444
 saturated, 276, 282
 unfavorable reputation of, 212.
 See also Heart disease-diet relationship
 metabolism of, 240–241, 262

Fat Mass

biochemistry of, 253–255
 burning of, physical activity effects on, 339
 calculation of, 135–137
 caloric value of, 171
 carbohydrate conversion to. *See* Carbohydrate(s), conversion of, to fat
 vs. carbohydrate dietary content, 242–245
 distribution of, 451
 energy storage in, during overfeeding, 178–179
 fat biochemistry in, 237–238
 fat saturation in, 240
 “fat-stores memory” of, 193–194, 498–499
 increase of, 154–155
 after athletic career, 195
 leveling off, 335
 in low-fat diet, 227–228
 overeating after, 265
 after starvation, 254–255
 after underfeeding, 197
 insulin effects on, 248–249
 loss of
 as goal, 128
 vs. Lean Body Mass loss, 152–154, 156–159, 356–358, 495–496
 Metabolic Adaptations and, 185–187, 336, 536
 metabolic rate changes in, 498–499
 overeating caused by, 198–200
 in weight loss, 156–157
 low, attainment of, 195–197
 memory of, 193–194, 498–499
 metabolism of, vs. muscle, 354–358
 in obesity, 154–156
 vs. Physical Activity Level, 331
 resistance training effects on, 342–344
 set-point for, 180–182, 185

Fat Mass (*Continued*)

shape of, physical activity effects on, 337
 storage of, evolutionary aspects of, 166
 variability of, 151–152
 Fat mobilizing hormone, of Atkins, 391–392
 Fatigue
 in low-carbohydrate diets, 277–279
 in vegetarianism, 301
 Fatty acid synthase, 503
 Fatty acids, free, biochemistry of, 238–239
 Fish, in Ellis diet, 481–482
Fit or Fat (Bailey), 450–452
 Flour, refined, 503, 506–507
 Food
 carbohydrate content of, 481–486
 carbohydrate-free, 481–483
 energy content of. *See* Calorie(s)
 energy density of, 232–233, 260
 glycemic index of. *See* Glycemic index
 intake of
 vs. calorie burning, 322–325
 control of, 260–262, 500–501. *See also* Appetite and hunger
 daily calories in, 327
 energy-partitioning and, 259–260
 in high-fat diets, 319
 in low-carbohydrate diets, 319
 metabolic influences on, 262
 physical activity effects on, 319, 322–325
 macronutrients in, 210, 436. *See also* Carbohydrate(s); Fat, dietary; Protein
 micronutrients in, 210, 505–507
 refined, 503–508
 thermic effect of, 61–62, 173, 174, 201, 332

- Food and Drug Administration, on nutritional supplements, 507–508
- Food Pyramid, 289
- Formula diets, Pep-Up, 80–82, 84–86
- Framingham study, 105–107, 424–425
- Frederick diet, 461
- Free fatty acids, biochemistry of, 238–239
- Fructose
conversion to fat, 422
metabolism of, 503–504
- Fruits, carbohydrate content of, 484–485
- Gender
body composition and, 338–339, 342–343
in Body Mass Index calculation, 73–74
caloric intake and, 327, 329
Resting Metabolic Rate and, 59–60
Total Daily Energy Expenditure and, 68, 332
- Genetics
of metabolism, 150
of P-ratio, 165–167, 193, 499
- Glucagon, action of, 238, 248, 255, 392
- Glucose
blood levels of, glycemic index and, 411–415
conversion of, to fat, 254–257, 414
- The Glucose Revolution* program, 441–444
- Glycemic index, 231–232, 411–415
controversy over, 441
in Somers diet, 421–422
in *Sugar Busters!* diet, 415–418
in Weil diet, 424
- Glycogen
loading of, 131, 442–443
- Glycogen (*Continued*)
storage of, 252, 425
- Grande research, on low-carbohydrate diets, 396–397
- Green tea extract, in thermogenesis stimulation, 543
- Heart, conditioning of, physical activities for, 346–347
- Heart disease-diet relationship, 98–123
cholesterol levels in. *See* Cholesterol levels
- Council on Foods and Nutrition on, 275, 282
- Framingham study of, 105–107, 424–425
- in French population, 252
- human studies on, 105–108
- modern nutritional epidemiology and, 116–118
- opponents of, 102–108
- Ornish on, 445–449
- proponents of, 100–101, 119–120
- rates vs. risks of, 109–119
- refined foods and, 503–504
- relative risk analysis of, 110–118
- research literature on, 100–105
- statistics manipulation concerning, 108–110
- Heat, formation of
in obesity, 190
stimulation of, 541–544
- Height
in Body Mass Index calculation, 73–74
in Resting Metabolic Rate calculation, 59–60
- Heller carbohydrate addict's diet, 410–411, 461, 463
- Herbal products, for weight loss, 539
- High-carbohydrate diets, 441–444
for athletes, 410, 442–444
definition of, 219
enzymes in, 278

- High-carbohydrate diets (*Continued*)
 fuels in, 239, 537
 Heller, 410–411
 insulin release in, 248
 lipogenesis in, 214–217
 vs. low-carbohydrate diets, 245–248, 390–392, 402
 supporters of, on calorie theory, 437–438
 triglycerides produced in, 411
 Weil, 422–426
- High-carbohydrate/low-fat diets, 242, 426–432
- High-fat diets
 adaptation to, 298
 in Eskimo population, 288, 289, 298–299
 food intake regulation in, 319
 performance and, 298
- High-fat/high-carbohydrate diets, 262, 504. *See also* Mixed (supermarket) diet
- High-fat/low-carbohydrate diets
 body composition in, 215–216
 food intake control in, 262
- Homeopathy, 139
- Homeostasis, 74–75
- Horses, feeding regimens for, 133–134
- Human chorionic gonadotrophin, for weight loss, 42, 50
- Hunger. *See* Appetite and hunger
- Hyperphagia, after food restriction, 265
- Hypoglycemia, in low-carbohydrate diets, 280–281
- Information sources, 544
- Insulin
 action of, 248–249, 252–253, 255
 anabolic nature of, 167
 in fat storage, 263, 463
 insulin-blocking theory and, 291–292
 in ketone production control, 392
- Insulin (*Continued*)
 release of, 249, 255, 287
 Eades view of, 406–407
 factors affecting, 241
 fat vs. carbohydrates, 235
 fructose effects on, 503–504
 vs. glycemic index, 231–232, 411–415
 Heller view of, 410–411
 in high-carbohydrate diets, 281
 in low-carbohydrate diets, 238, 253, 406–407
 normal, 468
 Sears view of, 409
 in starvation, 238
 in *Sugar Busters!* diet, 415–418
 resistance to, obesity and, 385
- Insulin-to-glucagon ratio, 471
- Isometrics, 36–37
- Karas, Jim, training method of, 355–358
- Kekwick and Pawan theory, applied to low-carbohydrate diets, 387–394
- Ketones and ketosis, 237–239
 in Atkins diet, 392–393, 464–465, 471, 477
 Eades view of, 407
 as fuel, 296, 460
 in low-carbohydrate diets, 276–277
 pathological vs. physiological, 276–277
 after physical activity, 392
 Sears view of, 409–410
- Kidney function, low-carbohydrate diet effects on, 289, 435
- Krehl research, Atkins diet support from, 397–399
- Lean Bodies* (Sheats), 426–432
- Lean Body Mass, 9
 of athletes, 350
 vs. body water, 135
 caloric consumption by, 183–184

Lean Body Mass (*Continued*)

- vs. carbohydrate dietary content, 242–245
 - components of, 200, 350
 - decrease of, in decreased physical activity, 337–339
 - determination of, 136–137
 - after diet, 500–501
 - Fat Mass calculation from, 135
 - increase of, 154–155, 179
 - loss of, 157–159
 - in calorie cutting, 339
 - vs. Fat Mass loss, 152–154, 156–159, 356–358, 495–496
 - in low-fat diet, 227–228
 - Metabolic Adaptations in, 185–187
 - in Very Low Calorie Diet, 127
 - in weight loss, 60, 156–159, 197
 - maintenance of, in diet, 128
 - in obesity, 154–156
 - P-ratio and, 499
 - preservation of, in weight loss, 157–159
 - after Ranger training program, 196–197
 - resistance training effects on, 341–344
 - vs. Resting Metabolic Rate, 58, 308
 - in Resting Metabolic Rate calculation, 351–352
 - set-point for, 180–182
 - after starvation, 198
 - variability of, 151
- Lipogenesis. *See* Carbohydrate(s), conversion of, to fat
- Lipolysis, in Atkins diet, 471
- Lipoprotein lipase, in fat metabolism, 140–141, 241, 253
- Liver
- free fatty acid metabolism in, 238–239

Liver (*Continued*)

- ketone production in, 392
 - lipogenesis in, 215, 254
- Low-carbohydrate diets, 236–257.
- See also specific diets, e.g.,*
 - Atkins diet; Ellis low-carbohydrate diet; Ellis 100/100 plan
- advantages of, 363
- of ancestors, 251–252, 504, 513–514
- body composition changes in, 242–245
- calorie “wasting” in, 391
- criticism against, 269–293
- on appetite control, 273–275
 - on calcium loss, 286–287
 - on calorie counting, 272–273
 - claims, 271–272
 - correcting errors and, 284–291
 - by Council of Foods and Nutrition, 271, 274–277, 279–284
 - on diet composition, 279–280
 - on dizziness, 279
 - on egg yolks, 281
 - on fatigue, 276–279
 - first major attack, 271
 - on heart disease and blood lipids, 275
 - on hunger control, 273–275
 - on hypoglycemia, 280–281
 - on insulin action, 291–292
 - on ketosis, 275–276
 - on kidney damage, 289
 - by National Dairy Council, 284
 - by Nutrition Council, 282–284
 - overview of, 269–271
 - by *Time* magazine, 284–286
 - by University of California, 292
 - on uric acid formation, 276
 - on weight loss, 273–275
- definition of, 210–211, 218–220
- Eades, 406–409, 461, 470
- efficacy of, reasons for, 236

- Low-carbohydrate diets (*Continued*)
- Ellis version of. *See* Ellis low-carbohydrate diet; Ellis 100/100 plan
 - enzyme activity in, 240–242
 - in Eskimo population, 288, 289, 298–299
 - vs. fasting, 385–386
 - fat biochemistry in, 253–255
 - Fat Mass control in, 255–257
 - food intake control and, 319, 500–501
 - fuel in, 239–240, 537
 - vs. high-carbohydrate diets, 245–248, 390–392, 402
 - history of, 237
 - hunger satisfaction by, 233–234
 - insulin release in, 238, 248–249, 253
 - ketogenesis in, 237–239
 - limitations of, 461–464
 - mechanisms of, 213–214
 - metabolism in, 252–253
 - mineral intake in, 270
 - minimum carbohydrate content of, 249–251
 - opposition to, 217–218
 - Ornish on, 448
 - supporters of, on calorie theory, 437–438
 - unrestricted calorie intake in, 271–272
 - vitamin intake in, 270
 - weight gain after, 246
- Low-fat diets, 210–211, 221–235
- body composition in, 242–245
 - debate over, 222–224
 - energy density of, 232, 233, 260
 - failure of, 493–495
 - evidence for, 224–230
 - reasons for, 221–222
 - food intake regulation in, 319
 - hunger satisfaction by, 233–234
 - popularity of, 217–218, 230–231
 - proponents of, 234–235
- Low-fat/high-carbohydrate diets, fat storage in, 263, 439
- Low-fat/high energy density diet, weight loss in, 274
- Low-fat/low energy density diet, 274, 434–437
- Lutz diet, 461
- Luxuskonsumption*, in overfeeding, 178–179
- Ma huang, in thermogenesis stimulation, 542–543
- Macronutrient compensation, 436
- Marketing programs
 - for diets, 146–147
 - for weight training regimes, 86–88
- Mayer hypothesis, of food intake vs. calorie burning, 322–325, 331–333
- Meat. *See also* Pemmican
 - animal sacrifice and, 516
 - avoidance of, 518. *See also* Vegetarianism
 - benefits of, 511, 518
 - cancer risk and, 292
 - carbohydrate-free nature of, 481
 - digestion of, 520
 - disappearance of, from daily diet, 514–515
 - in Stone Age diet, 251–252, 504, 513–514
 - taboos about, 515–516
 - total diet of, 269–270
 - Eskimo, 288, 289, 298–299
 - health benefits of, 301–302
 - vitamin C and, 303–304
 - toxins in, 519
- Mediterranean diet, heart disease and, 113–116
- Menus, for Ellis diet, 486–487
- Metabolic Adaptations, 74–75, 169, 170–188, 189–207
 - adjustments for, in weight loss program, 189–197
 - in anorexia nervosa, 184
 - Atkins diet and, 400–401

- Metabolic Adaptations (*Continued*)
 vs. Body Mass Index, 203–204
 in bodybuilders, 201
 calorie use and, 209
 changes of, during weight loss,
 465–466
 decreasing calorie needs from,
 535–538
 discovery of, 174–178, 525–528
 in Ellis 100/100 plan, 365, 369,
 370
 Energy Balance Equation
 relationship with, 170, 175,
 177
 in Fat Mass reduction, 336
 food intake changes and, 182–
 187
 importance of, 501–502
 in lean individuals, 172, 185,
 539–540
 limiting of, 199–200
luxuskonsumption mechanism
 and, 178–179
 metabolic efficiency in, 172–173,
 190–191, 193, 202–203
 most extreme, 536–537
 in overfeeding, 178–179
 persistence of, 186
 Physical Activity Level and, 173–
 174, 183, 187–188, 190–
 191, 200–201
 in post-starvation obesity, 197–
 202
 Resting Metabolic Rate changes
 in, 173–174, 183–184,
 187–188, 190–191, 200
 in semi-starvation, 176–177, 187,
 189–190
 set-point theory and, 180–182,
 185, 191–195
 to starvation, 175–176, 536–537
 survival advantage of, 175–176,
 188, 194
 Total Daily Energy Expenditure
 and, 173–175, 179, 183,
 187–188
- Metabolic Adaptations (*Continued*)
 variation in, 539
 in very low calorie diets, 316
 Metabolic advantage principle, of
 Atkins diet, 383, 386–387,
 398–399
 Metabolic rate
 determination of, 57–73
 resting. *See* Resting Metabolic
 Rate
 types of, 57
 Metabolic Resistance, in Atkins diet,
 469–470, 474
 Metabolism
 Atkins view of, 383–385
 defects of, 150, 388–389, 494
 diet plans based on, 452–453
 differences in, 23, 56–57, 348–
 354, 358–360
 efficiency of, in weight loss, 172–
 173, 190–191, 193, 202–
 203
 in food intake control, 261–262
 in low-carbohydrate diet, 252–
 253
 myths about, 56–57, 348–354,
 358–360, 388–389, 494
 regulation of, 129–130
 reprogramming of, in Somers diet,
 420–421
 voluntary control of, in Sheats
 diet, 429
 Micronutrients, 210, 505–507. *See*
also Vitamin(s)
 Milk, micronutrient removal from,
 506
 Minerals
 in low-carbohydrate diet, 270
 removal of, in food refining, 505–
 507
 supplementation of, in weight
 control, 543
 Mixed (supermarket) diet, 210–211
 energy density of, 234
 fat storage in, 262–265, 439

- Mixed (supermarket) diet
 (Continued)
 vs. low-fat/low energy density diet, 436
 obesity due to, 274, 495
- Mucousless Diet Healing System, 93
- Multiple Risk Factor Intervention Trial, for heart disease, 111–112
- Muscle
 building of. *See* Bodybuilding
 fiber types in, 294–295
 maintenance of, in diet, 128
 metabolism of, vs. fat, 354–358
 resting, calorie burning in, 349–350, 352
 volume of, genetic limitations of, 498
- Myths
 about diet program success, 21–27, 490–491
 about exercise effects on appetite, 321–322
 about metabolism, 388–389, 393
 differences, 56–57, 358–360
 exercise effects, 348–354
 about weight training programs, 86–88
- National Cholesterol Education Program, 101
- National Dairy Council, on low-carbohydrate diets, 284
- National Heart, Lung, and Blood Institute, Framingham study sponsored by, 105–107, 424–425
- Nautilus equipment and program, 43, 52–53, 79, 83, 86–88, 96
- Negative training, in bodybuilding, 88–89
- New Diet Revolution*. *See* Atkins diet
- Newbold diet, 461
- Newtonian Laws, 16–21, 174
- Nicotine, in thermogenesis stimulation, 541
- Non-diet plans, for weight loss, 370–371, 450–452
- Non-resting energy expenditure. *See* Physical Activity Level
- Normal Activity Zone, food intake in, 322–323
- Nutritional supplements, weight control and, 538–541
- Obesity
 Atkins view of, 383–385
 body composition in, 154–156
 Body Mass Index in, 204
 caloric requirements in, 155–156
 calorie burning in, 384
 causes of, 331, 335–336
 diet composition and, 279–280
 insulin resistance in, 385
 metabolic inefficiency in, 190–191, 193
 post-starvation, 156, 197–202, 265
 sedentary lifestyle and, 322–325
- Occupation, vs. Total Daily Energy Expenditure, 67–68
- Oils, in Ellis diet, 483
- Olesen and Quaade, on low-carbohydrate diets, 393–394
- Organs, calorie burning of, 350, 354–357
- Ornish, Dean, low-fat diet of, 230, 445–449
- Osteoporosis, low-carbohydrate diets and, 289–290
- Overfat, vs. overweight, 160
- Overfeeding
 body composition in, 198
 effects of, 178–179
 after food restriction, 265
- Overweight, vs. overfat, 160
- P-ratio, in energy-partitioning, 165–167, 193, 499
- Pawan and Kekwick theory, applied to low-carbohydrate diets, 387–394

- Pemmican
 diet of
 fatigue in, 278
 health benefits of, 301–302
 historical view of, 299–300
 preparation of, 302–304
- Pennington theory on weight control, 296–297, 388–389
- Pep-Up formula diet, 80–82, 84–86
- Percent risk reduction, in heart disease-diet relationship, 110
- Physical activity. *See also* Aerobic exercise; Physical Activity Level; Resistance/weight training
 appetite impact of, 321–325
 attitudes toward, 330, 362
 body composition changes with, 337–339
 calorie burn in, 326–331
 measurement with Caltrac, 304–308, 364–366, 377–378
 with diet, weight loss with, 316–317, 493–495
 duration of, in exercise prescription, 318
 Eades view of, 407–408
 efficacy of, in weight loss, 312–316
 exercise prescription for, 318–321
 in Fat Mass reduction, 311–313
 frequency of, in exercise prescription, 318
 health-related vs. performance-related, 320–321
 importance of, 310–311, 472
 Inactive Activity Zone in, 322–323, 325–326
 increased, for weight loss maintenance, 374–377
 intensity of, in exercise prescription, 318
 ketosis after, 392
 lack of, obesity in, 468–469
- Physical activity (*Continued*)
 in Lean Body Mass preservation, 352–353
 Mayer hypothesis of, 322–325, 331–333
 with no diet change, weight loss in, 313–314, 450–452
 Normal Activity Zone in, 322–323
 vs. obesity development, 335–336
 in Ornish program, 448–449
 recommended amount of, 333–334
 in Sheats diet, 426–432
 spontaneous, 201, 334, 340, 379–380, 539
 structured, TDEE and, 201–202
 time requirements for, 314–315, 330
 types of, 319–321, 340
 weight effects of, 321–325
 in weight loss, 311–313
- Physical Activity Level
 activity factor, 65
 average, 367
 vs. Body Mass Index, 331
 calculation of, 332
 for Ellis 100/100 plan, 365–366
 categories of, 65
 in exercise group vs. non-exercise group, 202
 vs. Fat Mass, 331
 increased, changes from, 337–339
 low, in overweight development, 313–314
 manipulation of, 76
 Metabolic Adaptations and, 173–174, 183, 187–188, 190–191, 200–201
 minimum, 325–326, 333–334
 threshold of
 for weight loss, 367
 for weight maintenance, 332–336
 too-low, weight gain in, 151–152

- Physical Activity Level (*Continued*)
 vs. Total Daily Energy
 Expenditure, 67–68
 Total Daily Energy
 Expenditure/Resting
 Metabolic Rate index for,
 62–63
- Physical culture movement, 8–9, 80
- Phytoestrogens, 519
- Pilkingtonians, 389–391
- Poles, walking, 532–533
- Portion control, 378–379
- Post-starvation obesity, 156, 197–
 202, 265
- Pritikin diet, 449
- Protein
 concentrated supplement for, 100
 in diet composition, 210–211, 463
 Eades, 406–409, 461, 470
 high content of, 157–158
 Rolls, 455
 Sears Zone program, 409
 Weil, 423–425
 with fat, vs. complex
 carbohydrate diet, 131
 requirements of, in athletes, 99
 small frequent portions of, 497
- Protein Power* (Eades), 406–409,
 461, 470
- Psychological issues, in weight
 control, 205
- Rates, vs. risks, of heart disease,
 109–119
- Rating of Perceived Exertion, 532–
 533
- Reductionism, 17, 25–27
- Reeves training method, 521–524
- Refined foods, 503–508
- Relapse prevention, in weight loss
 maintenance, 375
- Relative risk, in heart disease-diet
 relationship, 110–118
- Religion, vegetarianism incorporated
 in, 447, 515–516
- Repetitions, in training programs,
 522
- Resistance/weight training, 5–8
 vs. aerobic exercise, 359
 for athletes, 84
 benefits of, 321, 341, 346–347
 body composition changes in,
 341–346
 calorie burning in, 356–358
 changes from, 341–344
 diet combined with,
 recommendations for, 345
 effects of, 318
 equipment for, 34, 36
 for muscle maintenance, 128
 negative-only, 88–89
 proportion of, in weight loss
 program, 494
 recommendations for, 320–321
- Restaurants, portion sizes in, 378–
 379
- Resting Metabolic Rate
 in active vs. non-active persons,
 352
 average, 367
 in bodybuilding, prediction of,
 349–353
 vs. bodyweight, 58
 calculation of, 59–61
 for Ellis 100/100 plan, 365–
 366
 from Lean Body Mass, 351–352
 calorie restriction effects on, 497–
 499
 changes of, 60–61, 76
 in Metabolic Adaptations, 173–
 174, 183–184, 187–188,
 190–191, 200, 540
 components of, 23–24
 definition of, 57
 vs. diet composition, 390
 diet effects on, 316–317
 factors affecting, 58, 308
 green tea extract effects on, 543

- Resting Metabolic Rate (*Continued*)
 vs. Lean Body Mass, 58
 measurement of, 58
 in obese vs. lean persons of same weight, 352
 physical activity effects on, 316–317
 in Physical Activity Level
 determination, 64–65, 332–333
 reduction of, in Very Low Calorie Diet, 127, 157
 vs. Total Daily Energy Expenditure, 58, 173
 in Total Daily Energy Expenditure calculation, 65–69
- Risks, vs. rates, of heart disease, 109–119
- RMR. *See* Resting Metabolic Rate
- Rolls diet, 434–437
- Salad greens, carbohydrate-free, 482
- Sawyer, Diane, training regime of, 355–358
- Scurvy, all-meat diet and, 303–304
- Sears Zone diet, 409–410, 461–463
- Sedentary life style
 food intake in, 322–325
 obesity in, 468–469
 Total Daily Energy Expenditure in, 65, 68
- Self-monitoring, in weight loss program, 377–378
- Semi-starvation
 Metabolic Adaptations to, 176–177, 187, 189–190
 water loss in, 161–162
- Set, in training programs, 522
- Set-point theory, of weight, 180–182, 185, 191–195
- Sheats diet, 426–432
- Shot putting, 6, 34–35
- Simmons, Richard, diet of, 433–434
- Skinfold thickness, in body
 composition determination, 136
- Slim Fast diet, 433–434
- Smoking, in thermogenesis
 stimulation, 541
- Social situations, relapse related to, 375
- Social support, for weight loss maintenance, 374–376
- Somers, Suzanne, diet of, 272, 418–422, 461
- Soy products, 519
- Specific Dynamic Action, 61–62
- Spontaneous Physical Activity, 201
 decrease of, in weight loss, 539
 in Ellis 100/100 plan, 379–380
 increase of, 334, 340
- Springs, exercise, 5, 5f
- Starvation. *See also* Fasting
 of active tissues, 264
 Fat Mass increase after, 254–255
 insulin release in, 238
 Metabolic Adaptations to, 175–176, 536–537
 obesity after, 156, 197–202, 265
 Ornish program as, 449
- Statistics, on heart disease-diet relationship, manipulation of, 108–110
- Stefansson, Vilhjalmur, on Eskimo Diet, 298–300
- Steroids, 39–41, 46–47
- Sterol regulatory element-binding protein 1c, in carbohydrate-to-fat conversion, 256
- Stillman diet, calorie counting in, 271
- Strength training. *See* Resistance/weight training
- Stroke, diet and, 117
- Sugar
 avoidance of, in *Sugar Busters!* diet, 415–418

- Sugar (*Continued*)
 calories in, 507
 consumption of, 503–504
 micronutrients lacking in, 505–506
 proportion of, in diet, 504–505, 507
- Sugar Busters!* diet, 415–418
- Supermarket diet. *See* Mixed (supermarket) diet
- Sweets, carbohydrate content of, 486
- Sympathetic nervous stimulation, for thermogenesis, 541–542
- Taboos, on meat-eating, 515–516
- Taller diet, calorie counting in, 271
- TDEE. *See* Total Daily Energy Expenditure
- Thermic Effect of Food, 61–62, 173, 174, 332
 in exercise group vs. non-exercise group, 201
- Thermodynamics, laws of, 16–21, 174, 387
- Thermogenesis
 dietary-induced, theory of, 178–179
 stimulation of, 541–544
- Time* magazine, on low-carbohydrate diets, 285–287
- Tririmeretry, 69–72, 192
- Total Daily Energy Expenditure
 vs. activity level, 67–68
 average, 367
 caffeine effects on, 541
 calculation of, 62–64, 65–69
 for Ellis 100/100 plan, 365–366
 components of, 57, 62, 332. *See also specific components*
 determination of, 62–63, 69–72
 vs. gender, 332
 maximum, 68–69
- Total Daily Energy Expenditure (*Continued*)
 Metabolic Adaptations and, 173–175, 179, 183, 187–188
 minimum, 68–69, 333–334
 in obesity, 155
 in overfeeding, 179
 physical activity and, 201–202
 in Physical Activity Level determination, 332–333
 range of, 68–69
 vs. Resting Metabolic Rate, 173
 Thermic Effect of Food in, 61–62
 tririmeretry based on, 70–71
 in underfeeding, 179
- Total Daily Energy
 Expenditure/Resting Metabolic Rate index, 62–63, 333–334
- Toxins, in meat, 519
- Triglycerides
 blood levels of, in low-carbohydrate diets, 276
 burning of, 240
 fat storage as, 237
 formation of, in high-carbohydrate diets, 411
- Typing diet plans, 452–453
- L-Tyrosine, in thermogenesis stimulation, 543
- Ultrasound device, for body composition determination, 135
- Underfeeding. *See also* Fasting; Semi-starvation; Starvation
 calorie sparing in, 182–187
 in Ranger School training program, 195–197
 Total Daily Energy Expenditure reduction in, 179
- Underwater weighing, for body composition determination, 94, 136–137

- Uric acid formation, in low-carbohydrate diets, 277
- Vegetables
 carbohydrate content of, 485
 carbohydrate-free, 482
- Vegetarianism, 85, 92, 444–448, 509–520
 agricultural development and, 514
 vs. ancestral meat diet, 513–514
 beliefs of, 517–520
 experimentation with, 510–512
 fatigue in, 301
 governmental encouragement of, 515
 growth of, 513–517
 Ornish program for, 230, 445–449
 religious beliefs concerning, 447, 515–516
 unnatural nature of, 509–510
 zealous supporters of, 446
- Very Low Calorie Diet, 126–127, 157–158, 316, 371–372
- Vest, weighted, for walking, 529–531, 545
- Visionaries, diet beliefs and, 439–441
- Vitamin(s)
 all-meat diet and, 303–304
 deficiencies of, in high-carbohydrate diets, 443
 in low-carbohydrate diet, 270
 removal of, in food refining, 505–507
 supplementation of, in weight control, 543
- Volumetrics* (Rolls), 434–437
- Walking
 with walking poles, 532–533
 with weighted vest, 529–531
- Water loss
 in Atkins diet, 395–396, 401–402, 469
 vs. carbohydrate dietary content, 245–247
 in low-carbohydrate diets, 273
 in weight loss, 160–162, 496
- Web site, 544
- Weight. *See also* Weight gain; Weight loss
 in Body Mass Index calculation, 73–74
 changes of, prediction of, 493–495
 cognitive control of, 181–182
 measurement of, importance of, 377
 regulation of, 150
 in homeostasis, 75
 in overfeeding, 155–156
 vs. Resting Metabolic Rate, 58
 in Resting Metabolic Rate calculation, 59–60
 set-point theory of, 180–182, 185, 191–195
 stabilization of, 43
 wide fluctuations of, 82–85, 93–94, 168
- Weight gain
 body composition changes with, 154–156
 after diet, diet composition and, 499–501
 after fasting, 163
 after low-carbohydrate diet, 246
 in overfeeding, 178–179
 during Reeves training program, 522–523
- Weight loss
 body composition changes with, 153–154, 156–162, 495–496
 vs. carbohydrate dietary content, 242–248
 difficulty of, 192
 in fasting, 162–164
 fat storage after, 264–265
 goals of, diet after, 460–464

- Weight loss (*Continued*)
 in low-carbohydrate diets, 273–275
 maintenance of, 374–378
 Metabolic Adaptations and, 527–528, 535–538
 problems with, 375–376
 steps for, 376–377
 Metabolic Adaptations in. *See* Metabolic Adaptations
 with non-dieting programs, 370–371
 nutritional supplements in, 538–541
 physical activity vs. diet roles in, 313–316, 493–495
 plateau in, 464–467, 470–471
 symptoms after, 181
 water loss in, 160–162, 496
- Weight training. *See* Resistance/weight training
- Weight Watchers diet, 433–434
- Weights, wrist, 533
- Weil diet, 422–426
- Western diet, heart disease and, 113–116
- Whitley exercise springs, 5
- Willpower, in appetite control, 76, 191–192
 difficulty of, 210, 258, 495
- World Health Organization
 Total Daily Energy Expenditure requirements of, 67
 Total Daily Energy Expenditure/Resting Metabolic Rate index of, 62–63
- Wrist weights, 533
- X-Cell-R8, in thermogenesis stimulation, 544
- Young research, Atkins diet support from, 390–391
- Yudkin diet, 401, 461
- Zone program (Sears), 461–463, 409–410

Notes

Ultimate Diet Secrets.com
**Dr. Gregory Ellis's 100% Weight Loss and Weight
Control Solution**

Quick Order Form



Fax Orders: 610-558-1287. Send this form.



**Telephone Orders: Call 800-337-7041 (orders only).
Have your credit card information ready.**



email orders: orders@ultimatedietsecrets.com.



**Postal orders: Ultimate Diet Secrets, 68 Skyline
Drive, Glen Mills, PA 19342**



Website orders: www.ultimatedietssecrets.com

Please send in your name and address if you want to be added to Dr. Ellis's mailing lists, either postal or email.

Name: _____

Address: _____

City: _____

State: _____ **Zip:** _____

Telephone: _____

Email address: _____

Payment: Check/MC/Visa/Amer. Express/Discover

Card number: _____

Name on card: _____

Expiration date: _____/_____

Ultimate Diet Secrets.com
**Dr. Gregory Ellis's 100% Weight Loss and Weight
Control Solution**

Quick Order Form



Fax Orders: 610-558-1287. Send this form.



**Telephone Orders: Call 800-337-7041 (orders only).
Have your credit card information ready.**



email orders: orders@ultimatedietsecrets.com.



**Postal orders: Ultimate Diet Secrets, 68 Skyline
Drive, Glen Mills, PA 19342**



Website orders: www.ultimatedietssecrets.com

Please send in your name and address if you want to be added to Dr. Ellis's mailing lists, either postal or email.

Name: _____

Address: _____

City: _____

State: _____ **Zip:** _____

Telephone: _____

Email address: _____

Payment: Check/MC/Visa/Amer. Express/Discover

Card number: _____

Name on card: _____

Expiration date: _____/_____

Ultimate Diet Secrets.com
**Dr. Gregory Ellis's 100% Weight Loss and Weight
Control Solution**

Quick Order Form



Fax Orders: 610-558-1287. Send this form.



**Telephone Orders: Call 800-337-7041 (orders only).
Have your credit card information ready.**



email orders: orders@ultimatedietsecrets.com.



**Postal orders: Ultimate Diet Secrets, 68 Skyline
Drive, Glen Mills, PA 19342**



Website orders: www.ultimatedietssecrets.com

Please send in your name and address if you want to be added to Dr. Ellis's mailing lists, either postal or email.

Name: _____

Address: _____

City: _____

State: _____ **Zip:** _____

Telephone: _____

Email address: _____

Payment: Check/MC/Visa/Amer. Express/Discover

Card number: _____

Name on card: _____

Expiration date: _____/_____

Ultimate Diet Secrets.com
**Dr. Gregory Ellis's 100% Weight Loss and Weight
Control Solution**

Quick Order Form



Fax Orders: 610-558-1287. Send this form.



**Telephone Orders: Call 800-337-7041 (orders only).
Have your credit card information ready.**



email orders: orders@ultimatedietsecrets.com.



**Postal orders: Ultimate Diet Secrets, 68 Skyline
Drive, Glen Mills, PA 19342**



Website orders: www.ultimatedietssecrets.com

Please send in your name and address if you want to be added to Dr. Ellis's mailing lists, either postal or email.

Name: _____

Address: _____

City: _____

State: _____ **Zip:** _____

Telephone: _____

Email address: _____

Payment: Check/MC/Visa/Amer. Express/Discover

Card number: _____

Name on card: _____

Expiration date: _____/_____